

# Rechteckrohre



b in mm	h in mm	s in mm	Abmessungen in mm	kg/mtr.	EN AW-6060 T66 Al Mg Si 0,5 F22	EN AW-6082 T6 Al Mg Si 1 F28
20	15	2	20 x 15 x 2	0.34	o	
20	10	1.5	20 x 10 x 1,5	0.22	o	
20	10	2	20 x 10 x 2	0.28	x o	
25	20	2	25 x 20 x 2	0.45	x o	
25	15	1.5	25 x 15 x 1,5	0.31	x o	
25	15	2	25 x 15 x 2	0.40	x o	
30	20	2	30 x 20 x 2	0.51	x o	
30	25	2	30 x 25 x 2	0.55	x o	
30	15	2	30 x 15 x 2	0.46	x o	
30	20	3	30 x 20 x 3	0.73	o	
30	15	1.5	30 x 15 x 1,5	0.35	o	
30	10	1.5	30 x 10 x 1,5	0.31	o	
30	20	1.5	30 x 20 x 1,5	0.38	x o	
34	20	2	34 x 20 x 2	0.55	x o	
34	20	3	34 x 20 x 3	0.79	x	
35	25	2	35 x 25 x 2	0.62	x	
35	15	2	35 x 15 x 2	0.51	o	
35	20	2	35 x 20 x 2	0.56	x o	
35	25	1.5	35 x 25 x 1,5	0.47	o	
40	25	2	40 x 25 x 2	0.67	x o	
40	20	2.5	40 x 20 x 2,5	0.76	x o	
40	25	3	40 x 25 x 3	0.97	o	x
40	30	3	40 x 30 x 3	1.06	x o	
40	30	2	40 x 30 x 2	0.73	x o	x
40	20	3	40 x 20 x 3	0.89	x o	
40	30	2.5	40 x 30 x 2,5	0.89	x o	
40	20	4	40 x 20 x 4	1.14	o	
40	15	2	40 x 15 x 2	0.56	x o	
40	20	2	40 x 20 x 2	0.62	x o	
40	20	1.5	40 x 20 x 1,5	0.47	o	
40	30	4	40 x 30 x 4	1.36	x o	
45	25	2	45 x 25 x 2	0.72	x o	
45	20	2	45 x 20 x 2	0.67	o	
50	40	4	50 x 40 x 4	1.80	x o	
50	40	2.5	50 x 40 x 2,5	1.16	x o	
50	30	2.5	50 x 30 x 2,5	1.03	o	
50	40	2	50 x 40 x 2	0.94	x o	
50	40	3	50 x 40 x 3	1.38	x o	
50	34	3	50 x 34 x 3	1.29	o	
50	25	3	50 x 25 x 3	1.14	o	
50	45	3	50 x 45 x 3	1.47	x	
50	30	3	50 x 30 x 3	1.22	x o	
50	20	4	50 x 20 x 4	1.36	x o	
50	20	3	50 x 20 x 3	1.04	x o	
50	25	2	50 x 25 x 2	0.78	x o	
50	30	2	50 x 30 x 2	0.83	x o	
50	20	2	50 x 20 x 2	0.73	x o	
50	15	2	50 x 15 x 2	0.67	x o	
50	25	1.5	50 x 25 x 1,5	0.59	o	
60	25	3	60 x 25 x 3	1.30	x o	
60	20	3	60 x 20 x 3	1.22	x o	
60	25	2	60 x 25 x 2	0.89	o	
60	30	3	60 x 30 x 3	1.38	x o	

b in mm	h in mm	s in mm	Abmessungen in mm	kg/mtr.	EN AW-6060 T66 Al Mg Si 0,5 F22	EN AW-6082 T6 Al Mg Si 1 F28
60	20	2	60 x 20 x 2	0.84	x o	
60	50	4	60 x 50 x 4	2.24	o	
60	40	4	60 x 40 x 4	2.02	x o	
60	40	2	60 x 40 x 2	1.05	x o	
60	40	3	60 x 40 x 3	1.55	x o	
60	34	3	60 x 34 x 3	1.45	o	
60	50	3	60 x 50 x 3	1.72	x o	
60	30	2	60 x 30 x 2	0.95	x o	
60	40	2.5	60 x 40 x 2,5	1.30	x o	
70	30	3	70 x 30 x 3*	1.52	o	x
70	20	2	70 x 20 x 2	0.95	o	
70	50	3	70 x 50 x 3	1.88	x	
70	50	2	70 x 50 x 2	1.28	x	
70	30	2	70 x 30 x 2	1.06	o	
70	40	3	70 x 40 x 3	1.70	x	
75	50	3	75 x 50 x 3	1.96	o	
80	40	3	80 x 40 x 3	1.88	x o	
80	25	2	80 x 25 x 2	1.11	o	
80	60	3	80 x 60 x 3	2.18	x o	
80	20	3	80 x 20 x 3	1.55	x	
80	30	2	80 x 30 x 2	1.17	o	
80	50	3	80 x 50 x 3	2.05	o	
80	40	2.5	80 x 40 x 2,5	1.58	o	
80	60	4	80 x 60 x 4	2.90	x o	
80	50	2	80 x 50 x 2	1.39	o	
80	30	3	80 x 30 x 3	1.72	o	
80	40	2	80 x 40 x 2	1.27	x o	
80	20	2	80 x 20 x 2	1.06	x o	
80	40	4	80 x 40 x 4	2.46	x o	
80	50	4	80 x 50 x 4	2.68	x o	
100	40	4	100 x 40 x 4	2.90	x o	x
100	40	2	100 x 40 x 2	1.50	o	
100	60	3	100 x 60 x 3	2.54	x o	
100	50	4	100 x 50 x 4	3.12	x o	
100	25	2	100 x 25 x 2	1.33	o	
100	18	2	100 x 18 x 2	1.25	o	
100	20	3	100 x 20 x 3	1.88	x	
100	30	3	100 x 30 x 3	2.05	o	
100	30	2	100 x 30 x 2	1.39	o	
100	20	2	100 x 20 x 2	1.27	x o	
100	50	5	100 x 50 x 5	3.85	x o	
100	50	3	100 x 50 x 3	2.37	x o	
100	60	4	100 x 60 x 4	3.29	x o	
100	50	2	100 x 50 x 2	1.61	x o	
100	60	2	100 x 60 x 2	0.72	o	
100	40	3	100 x 40 x 3	2.21	o	
120	50	4	120 x 50 x 4	3.56	x o	
120	60	4	120 x 60 x 4	3.80	x o	
120	40	4	120 x 40 x 4	3.34	x o	
120	60	3	120 x 60 x 3	2.87	x o	
120	50	3	120 x 50 x 3	2.71	o	
120	30	3	120 x 30 x 3	1.61	o	
120	20	2	120 x 20 x 2	1.50	o	

b in mm	h in mm	s in mm	Abmessungen in mm	kg/mtr.	EN AW-6060 T66 Al Mg Si 0,5 F22	EN AW-6082 T6 Al Mg Si 1 F28
120	80	3	120 x 80 x 3	3.20	x o	
120	30	2	120 x 30 x 2	1.61	o	
120	40	2	120 x 40 x 2	1.72	o	
140	80	4	140 x 80 x 4	4.66	o	
140	60	4	140 x 60 x 4	4.22	o	
150	100	3	150 x 100 x 3	4.03	x o	
150	50	5	150 x 50 x 5	5.23		x
150	120	5	150 x 120 x 5**	7.15		x
150	60	4	150 x 60 x 4	4.44	o	
150	50	4	150 x 50 x 4	4.22	x o	
150	40	4	150 x 40 x 4	4.00	x o	
160	60	4	160 x 60 x 4	4.66	o	
180	50	4	180 x 50 x 4	4.88	x o	
180	40	4	180 x 40 x 4	4.66	x o	
200	100	4	200 x 100 x 4	6.42	x o	
200	50	4	200 x 50 x 4	5.32	x o	
200	18	2	200 x 18 x 2	2.35	o	
200	60	4	200 x 60 x 4	5.54	o	
200	80	4	200 x 80 x 4	5.98	o	

x = Lager Bremen, o = Lager Dortmund

Stand: 08.08.2018